

## Amendments to the Claims


This listing will replace all prior versions and listings of claims in the application:

## Listing of Claims

Claims 1 to 7 (Cancelled)


8. (Amended) A method of ~~treating~~ improving the aesthetic appearance of skin, wherein the improvement is selected from the group consisting of the reduction in appearance of wrinkles, the reduction in appearance of fine lines, smoothness, texture, firmness, moisture level, the size of pores, the number of pores, elasticity, firmness, resiliency, and any combinations thereof, ~~to produce anti-aging and/or skin normalizing benefit~~ comprising topically applying to the skin an effective amount of a composition having a cosmetically acceptable carrier and a compound ~~at least two compounds~~ selected from the group consisting of:

~~(a)~~ andrographolide and its derivatives of the formula:



wherein  $R_1$ ,  $R_2$  and  $R_3$  can independently represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, cyclic or acyclic alkyl, alkenyl or alkynyl, wherein said phosphate or sulfate derivatives may be in the form of free acids or as salts with counter-cations selected from the group consisting of lithium, sodium, potassium, ammonium, magnesium, strontium and barium[[]]

~~(b) adenosine 3',5' monophosphate and its derivatives of the formula:~~



~~where  $R_1$  and  $R_2$  can independently represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, cyclic or acyclic alkyl, alkenyl or alkynyl, wherein said phosphate or sulfate derivatives may be in the form of free acids or as salts with counter-cations selected from the group~~


~~consisting of lithium, sodium, potassium, ammonium, magnesium, strontium and barium;~~

~~(c) hydrolyzed milk protein;~~

~~(d) sunflower seed extract;~~

~~(e) plankton extract;~~

~~(f) phytol, and its derivatives of the formula:~~



~~where R<sub>1</sub> can represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, alkyl, alkenyl or alkynyl, wherein said phosphate or sulfate derivatives may be in the form of free acids or as salts with counter cations selected from the group consisting of lithium, sodium, potassium, ammonium, magnesium, strontium and barium; and~~

~~(g) any mixture thereof.~~

9. (Cancelled)

10. The method of claim 8, wherein the composition is an oil-in-water emulsion.

11. (Cancelled)

Claims 12 to 14 (Cancelled)

15. The method of claim 8, wherein ~~said anti-aging and/or skin normalizing benefit is an~~ the improvement is selected from the group consisting of the reduction in appearance of wrinkles, the reduction in appearance of fine lines, ~~the appearance of skin blotchiness,~~ smoothness, texture, ~~moisture,~~ elasticity, ~~resiliency, color, clarity, tone,~~ the size of pores, the number of pores, and any combinations thereof.

16. (Cancelled)

17. The method of claim 8, wherein said compound is present at ~~least two compounds are~~ about 0.001 ~~0.1~~ wt% to about 1 ~~20~~ wt% of the total weight of the composition.

Claims 18 to 28 (Cancelled)

29. (New) The method of claim 8, wherein the improvement is the reduction in appearance of wrinkles.


30. (New) The method of claim 8, wherein the improvement is the reduction in appearance of fine lines.

31. (New) The method of claim 8, wherein the improvement is texture.

32. (New) The method of claim 8, further comprising plankton extract.


32. (New) The method of claim 8, further comprising sunflower seed extract.

33. (New) The method of claim 8, further comprising an additional compound selected from the group consisting of phytol and its derivatives of the formula:



wherein R<sub>1</sub> can represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, alkyl, alkenyl or alkynyl, wherein said phosphate or sulfate derivatives may be in the form of free acids or as salts with counter-cations selected from the group consisting of lithium, sodium, potassium, ammonium, magnesium, strontium and barium.


34. (New) The method of claim 8 further comprising an additional compound selected from the group consisting of adenosine 3',5'- monophosphate and its derivatives of the formula:




wherein  $R_1$  and  $R_2$  can independently represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, cyclic or acyclic alkyl, alkenyl or alkynyl having 1 to 16 carbon atoms.

35. (New) The method of claim 8, further comprising hydrolyzed milk protein.

36. (New) The method of claim 15, further comprising one or more additional compounds selected from the group consisting of plankton extract; sunflower seed extract; hydrolyzed milk protein; and phytol and its derivatives of the formula



wherein  $R_1$  can represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, alkyl, alkenyl or alkynyl, wherein said phosphate or sulfate derivatives may be in the form of free acids or as salts with counter-cations selected from the group consisting of lithium, sodium, potassium, ammonium, magnesium, strontium and barium; and adenosine 3',5'-monophosphate and its derivatives of the formula



wherein R<sub>1</sub> and R<sub>2</sub> can independently represent hydrogen, acyl, phenyl, mono- or polyphosphate, mono- or polysulfate, glycosyl, cyclic or acyclic alkyl, alkenyl or alkynyl having 1 to 16 carbon atoms.

37. (New) The method of claim 36, wherein the compounds are present at about 0.1 to about 20 wt% of the total weight of the composition.

38. (New) The method of claim 1, wherein the composition is topically applied daily for at least one week.

39. (New) The method of claim 1, wherein the composition is an oil-in-water emulsion, wherein the improvement is selected from the group consisting of the reduction in appearance of wrinkles, the reduction in appearance of fine lines, smoothness, texture, and any combinations thereof, and wherein said compound is present at about 0.001 wt% to about 1 wt% of the total weight of the composition.

40. (New) The method of claim 39, wherein the composition is topically applied daily for at least one week.

41. (New) The method of claim 1, wherein the composition is topically applied to an affected area of the skin.

42. (New) The method of claim 40, wherein the composition is topically applied to an affected area of the skin.